

ChM produces and distributes advanced medical solutions in 3 main divisions:



Comprehensive portfolio of products for traumatology, including systems designed for fractures fixation and deformities correction of extremities and pelvis.



Wide range of advanced solutions for cervical and thoraco-lumbar stabilization of spine, including pedicle screw systems for open and MIS procedures, various interbody devices and fixation plates.



Instruments and implants for cranio-maxillofacial surgeries, dedicated for fracture fixations, reconstructions, distractions and orthognathic surgeries.



PROXIMAL LATERAL TIBIA PLATES

3.7202.6xx; 3.7203.6xx



To bring medical solutions

Document No B/P-02
Review date P-002:04.08.2020

www.chm.eu

PROXIMAL LATERAL TIBIA PLATES



PROXIMAL LATERAL TIBIA PLATES

Design aligned with anatomy

- optimized anatomical profile
- fit to a wide range of anatomies
- facilitated anatomical reduction
- posterior tilt of the plate head related to tibia plateau angle

Tapered plate thickness

- minimized soft-tissue irritation in epiphysis
- high plate strength in the shaft and metaphysis

Chamfered plate borders

- minimized soft-tissue irritation
- improved stress distribution

Bottom undercuts of the shaft part

- limited bone-to-plate contact
- better blood circulation of periimplant tissues

Beveled tip

- easy percutaneous insertion

7 proximal screws in double row

- first row for support of tibia plateau
- second row for additional stabilization and complete fixation
- direction parallel to tibia plateau for direct subchondral insertion
- diverging screws for complete support of tibia plateau
- enhanced fixation in multi-fragment fractures

Aiming block

- fast, collision-free insertion of screws in pre-determined directions

Locking hole design

- the screws heads do not protrude above the surface of the plate what significantly reduces tissue irritation
- increased strength of the screw-to-plate threaded connection
- bottom extrusion reduces surface contact area with the bone

K-wire holes


- provisional plate positioning
- mimic periarticular screws trajectory
- proximal holes combined with suture cuts

Multiple screw options

- non-locking, locking and VA locking screw gives multiple configuration for individual cases

Variable-Angle screws

- high strength cobalt alloy material
- compatible with all locking holes
- 30° angulation cone
- VA screw re-lock possibility



Design aligned with anatomy

K-wires holes

Aiming block

Variable-Angle screws